MARBLE'S

SINCE 1893

BADGER SHOOTERS SUPPLY
OWEN, WISCONSIN

"Game Getter"®

PRODUCTS

MEMBER
NATIONAL SHOOTING SPORTS FOUNDATION INC.

GENERAL CONTENTS

CLEANING KITS Pages 4 and 5	GENERATOR Page 22
CLEANING RODS Page 6	SCOPES Pages 10 and 12
COMPASSES and MATCH BOX Page 9	SPORTSMEN'S KNIVES Page 8
GUN CLEANING EQUIPMENT Page 7	CONTOURED FRONT SIGHTS Page 23
GUN CASES Page 21	GAME CALLS Pages 2 and 3
GUN SIGHTS Pages 12 thru' 20	GUARANTEE Page 23

MARBLE'S

"Game Getter"® GAME CALL PACKAGE

wild life call recordings
DUCK HUNTER'S HAND BOOK
WILD FOWL IDENTIFICATION
THE "Game Getter" LINE
MARBLE ARMS CORPORATION • GLADSTONE, MICHIGAN

Here's the perfect game calling combination . . .

MARBLE'S "Game Getter"® quality, true-toned call (preferred by most pros) plus a 4-color, 28-page wild fowl handbook and, most important, an L. P. record which explains in complete detail just how simple and easy game calling can be. All in one appealing package . . . the full kit - record, handbook and call - at a price that defies competition.

Designed by Champion Caller "Tex" Wirtz



Marble's "Game-Getter" calls are beautifully hand-crafted under the supervision of champion caller "Tex" Wirtz from the finest exotic woods.

NO.	CALL	WOOD	WEIGHT
450K	GOOSE	ZEBRA	1¾ lbs.
451K	DUCK	ZEBRA	1½ lbs.
452K	CROW	ZEBRA	1¼ lbs.

"Game Getter"® THREE-IN-ONE GAME CALL KIT

Here's the whole works in one kit. Goose, duck and crow calls, hand-crafted in Marble's Game Getter quality from finest walnut stock. Lanyard for carrying. Tex Wirtz's L. P. records explain and demonstrate professional secrets of a champion caller, and the Duck Hunters' Handbook - all in one attractive package.

476 GOOSE - DUCK - CROW - WALNUT per doz. - 8 lbs.

"TEX" WIRTZ'S L. P. RECORD



Now you can call them, too . . . or help your customer learn the secrets of a champion duck caller. Tex Wirtz's L. P. Record explains all the secrets.

No. 475 per doz. 1-lb.

MARBLE'S "Game Getter"® CALLS



Marble's hand-crafted selected walnut and imported Zebra wood game calls incorporate full, true tone. They're tuned under the expert supervision of pro champion caller, "Tex" Wirtz. They're easy to "sound" with no confusing adjustments required. Authentic life-like tones will pull birds into sure-fire range. Bubble packed for racks or counter display. Marble's famous quality throughout.



GOOSE CALL
by
"Tex" Wirtz

450 Z ZEBRA WOOD
450 W WALNUT
1 3/4 lbs. per dozen



DUCK CALL
by
"Tex" Wirtz

451 Z ZEBRA WOOD
451 W WALNUT
1 1/2 lbs. per dozen



CROW CALL
by
"Tex" Wirtz

452 Z ZEBRA WOOD
452 W WALNUT
1 1/4 lbs. per dozen



MAGNUM DUCK CALL
by
"Tex" Wirtz

455 B BABINGO
2 lbs. per dozen



MAGNUM CROW CALL
by
"Tex" Wirtz

456 B BABINGO
1 1/2 lbs. per dozen

MARBLE'S

"Game Getter" **UNIVERSAL** *Gun Cleaning Kit*

The Kit That Cleans All Guns

THE SECRET'S IN THE ROD



This solid aluminum rod with special joint construction can be used in any gun from .22 caliber to a 12 gauge shotgun without bending or breaking. Special adaptor allows shotgun tip to be used in place of rifle or handgun tip. Threads on swivel end are standard to accommodate any cleaning brush.

Metal kit has three-color baked enamel finish. All edges are rolled for maximum strength and safety. Inside cover has instructions on proper use of equipment. Each kit packed in attractive 2-color display carton.



Kit contains Marble's Extra Rigid 36" Jointed Aluminum Cleaning Rod with two jagged, slotted tips, Marble's Gun Oil, Marble's Kleens-Easy Rust Removal Cloth, Marble's Gun Blue, and a supply of Canton Flannel Cleaning Patches.

PACKED 12
IN A CARTON
No. 834 ..... 12 lbs.



Marble's "form-fitting" Dyalite gun cleaning kit case holds eve item in its place ALWAYS. Will not crack, bend or break. Ca scratch, cut or mar no matter where it is used. Top acts as tray gun parts, screws, etc., during cleaning operation. Lighter, eas to handle and use — better in every way than the old style me boxes — yet costs no more. Hunters everywhere will want one these fine kits.

"Game Getter"® MASTER GUN CLEANING KITS

MARBLE'S

Marble Master Gun Cleaning Kits take the chore out of good gun maintenance. Handy metal box contains everything you need to keep your gun in tip-top shape. Three-colored baked enamel finish. Rolled edges for maximum strength and safety. Inside cover has instructions on proper use of equipment. Packed in attractive two-color display carton.



MASTER RIFLE CLEANING KIT

Kit contains Jointed Aluminum Rod, with jagged-slotted Tip. Rifle rods have the famous swivel end. Rod ends are threaded for brush; Two Phosphor-bronze cleaning Brushes; highest grade flannel cleaning Patches; famous Gun Oil; Rust Removal Cloth; new Non-Freeze Lubricating Oil.

PACKED 12 IN A CARTON

	Weight
No. 836	21½ lbs.

Master Shotgun Cleaning Kit

Kit is of same construction as rifle kits above. Contains Jointed Aluminum Rod with jagged - slotted Tip. End is threaded for brush; two Phosphor - bronze cleaning Brushes; highest grade flannel cleaning Patches; famous Gun Oil; Rust Removal Cloth; Non - Freeze Lubricating Oil.

PACKED 12 IN A CARTON

	Weight
No. 837	25 lbs.

Master Pistol Cleaning Kit

Kit is of same construction as rifle and shotgun kits above. Contains one piece brass Rod with jagged - slotted Tip. End is threaded for brush; two Phosphor - bronze cleaning Brushes; highest grade flannel cleaning Patches; famous Gun Oil; Rust Removal Cloth; Non - Freeze Lubricating Oil.

PACKED IN A CARTON

	Weight
No. 835	21 lbs.



Economy Rifle or Shotgun Cleaning Kits

Kit is of same construction as rifle and shotgun kits above. Contains three - piece aluminum Rod with jagged - slotted Tip. End is threaded for brush; highest grade flannel cleaning Patches; famous Gun Oil.

PACKED 12 IN A CARTON

		Weight
No. 822A	.22 Cal. Aluminum	10 lbs.
No. 832A	.30 Cal. Aluminum	10 lbs.
No. 840	12-16-20 Gauge Aluminum	13 lbs.
No. 841	28-410 Gauge Aluminum	12 lbs.

MARBLE'S

MARBLE'S *"Game Getter"* CLEANING RODS

WON'T
BEND
BIND
WOBBLE OR
BREAK!

Marble's *"Game Getter"* engineering principles put the swivel bearing at the tip — not the handle — for the most efficient operation. Joints will not become unscrewed or break off in barrel . . . tip takes the full brunt of the hardest pulls and thrusts. Combination jagged-slotted tip permits any method of cleaning desired. Three-piece rods have unique joint construction which prevents rod from bending or wobbling . . . makes them as rigid as a one-piece rod. Rods are chemically processed to prevent tarnishing. Available in all calibers, all gauges for rifles, pistols and shotguns (shotgun rods do not have swivel tip).

The swivel's in the tip where it counts!

Good gun care is made easy with these cleaning rods which take the work out of rifle cleaning. Patches do not jam in the barrel. Every part of the bore is completely and thoroughly cleaned. Each size of rod is made as large as possible to give full strength. Joint construction makes it as rigid as a one-piece rod — no bending or breaking at the joint. Furnished with combination jagged and slotted tip. Threaded for cleaning brushes.

Jointed Rifle Cleaning Rod

PACKED 12 IN A CARTON

.22 to .270 Caliber; Length, 36 inches

		Weight
No. 922	Aluminum	**3½ lbs.**
No. 9622	Brass	**6½ lbs.**

.28 Caliber and Up; Length, 36 inches

No. 932	Aluminum	**4 lbs.**
No. 9728	Brass	**8½ lbs.**

NOW IN BUBBLE PACKAGE



Shotgun Cleaning Rods

Made in three sections from aluminum. Threaded to take all standard makes of cleaning brushes. Furnished with combination jagged and slotted tip. Heavy duty handle contoured to fit the hand.

NOW IN BUBBLE PACKAGE

PACKED 12 IN A CARTON

		Weight
No. 400	10 to 20 gauge, standard length	**6½ lbs.**
No. 410	410 and 28 gauge, standard length	**6½ lbs.**

One Piece Rifle Cleaning Rods

Made from solid brass. Contour handle and roller-bearing swivel end. Fitted with combination jagged and slotted tip. Threaded for cleaning brushes.

PACKED 12 IN A CARTON

		Weight
	.22 to .270 Caliber; Length, 36 inches	
No. 522	Brass	**5 lbs.**
	.28 Caliber and Up; Length, 36 inches	
No. 528	Brass	**7 lbs.**

One Piece Revolver Rods

Made from solid brass. Contour handle and roller-bearing swivel end. Fitted with combination jagged and slotted tip. Threaded for cleaning brushes.

PACKED 12 IN A CARTON

		Weight
	.22 and .25 Caliber; Length, 11 inches	
No. 722	Brass	**3 lbs.**
	.32 Caliber and Up; Length, 9 inches	
No. 732	Brass	**3¼ lbs.**

NOW IN BUBBLE PACKAGE

BLE'S "Game Getter" GUN CLEANING EQUIPMENT



WILL KEEP YOUR GUN "FACTORY NEW"

Cleaning Brushes

Marble's quality brushes, ideally suited for use on any standard American made rod. Highest grade material, plus Marble quality controls make this brush BEST for your gun. Available in bubble or bulk package.

PACKED 12 IN CARTON

		Weight
No. 1A	Rifle	¼ lb.
No. 2A	Pistol	¼ lb.
No. 3A	Shotgun	½ lb.

Marble's Non-Freeze Oil

A product of Marble's continuing research to insure reliable operation of hunting equipment when it is needed most. Excellent for extreme temperature use. Keeps sports equipment functioning freely in any kind of weather.

PACKED 24 IN CARTON

No. 250 ..... **Weight 1 lb.**

Marble's Gun Oil

Dissolves all harmful residue. Prevents and removes rust and corrosion. Perfect lubricant for reels, motors and light machines. Contains no acid—will not congeal—does not gum. Cleans and oils—no other oil necessary. Preferred by hunters everywhere as a superior lubricant and protector of gun parts. In unbreakable Container

		Weight
No. 244	3 oz. Container, packed 12 in a carton	2¾ lbs.
No. 544	Pints, 1 each	1½ lbs.
No. 644	Quarts, 1 each	3 lbs.



Marble's Gun Cleaning Patches "ZIP-LIP" PACKAGE

Make gun cleaning easier and more enjoyable with Marble's cut-to-size cleaning patches. Made from the finest quality Canton flannel. Easy to use, does a fine job of removing final residue after cleaning operation.

PACKED 12 IN A CARTON

	Caliber and Gauge	Weight
No. 870	.22 only	1½ lbs.
No. 871	.22 to .25	1½ lbs.
No. 872	.270 to .35	1½ lbs.
No. 873	.38-.45-.410-28	1½ lbs.
No. 874	12, 16 and 20	1½ lbs.



Touch-Up Gun Blue

Keeps guns in perfect shape. Applied cold, Marble's Blue does wonders for a gun's appearance. Every shooter a prospect. The handy unbreakable bottle is packaged in a new bubble pack and individually carded for impulse sales. Complete instructions included. BUBBLE PACKAGE

PACKED 12 IN A CARTON

No. 7 ..... **1½ lbs.**



Kleens Easy Cloth Kit

"ZIP-LIP" PACKAGE

Silicone polishing cloth, excellent for use on all metal, leather, wood and glass surfaces and for all sports equipment. Guaranteed effective until worn to a thread. May be washed repeatedly without damage. Prevents fogging on lens and window glass.

PACKED 12 IN A CARTON

No. 880 ..... **1½ lbs.**



MARBLE'S "Game Getter" KNIVES

The Standard of the Industry

Sportsmen everywhere have shown that they will pay for the finer quality of a hand-made Marble "Game Getter" Knife . . they want those Marble features that defy competition. Foreign imports and cheap domestic imitations do not satisfy the discriminating sportsman. Nothing less than Marble quality is really good enough for him.



Survival Knife

Originally developed for the armed services, Marble's now has available an improved version for the sportsman.

6" Blade.....1 each 1¼ lbs.



The Maverick

Leather Handle

No. 49ML—4½" blade.....**2¼ lbs.**

Stag Handle

No. 49MS—4½" blade.....**2¼ lbs.**



No. 62—4" blade, leather handled, saddle-stitched, embossed sheath, 2½ ounces....3 each **2 lbs.**

No. 62S—4" blade, stag handled, rolled embossed sheath, 2½ ounces.....3 each **2 lbs.**





The Longhorn

Stag Handle

No. 46LS—5" blade
3 each.....**2¼ lbs.**
No. 46LS—6" blade
3 each.....**2½ lbs.**
No. 46LS—7" blade
3 each.....**3 lbs.**

Leather Handle

No. 46LL—5" blade
3 each.....**2¼ lbs.**
No. 46LL—6" blade
3 each.....**2½ lbs.**
No. 46LL—7" blade
3 each.....**3 lbs.**

WITH FEATURES LIKE THESE

Blade and tang are one-piece, hand forged from the finest high-carbon-manganese cutlery steel, individually tempered, honed and polished to a razor-sharp edge. New tempering techniques give it a cutting edge that stays sharper . . . longer. Proper balance is achieved through hand shaping.

Heavy solid-steel butt plate gives the knife real "heft." In an emergency, can be used like a pile-driver to pound stakes, or when in the sheath, used as a hammer. Extra large diameter, hexagon-shaped, to prevent knife from slipping out of hand when in use.

Handle is "man-sized." It's extra long to make handling easier and more sure . . . with or without gloves. Leather handle consists of oven-dried leather washers, driven onto the tang, and secured by steel butt plate which engages the threaded tang. Stag handle is of imported India Stag horn, and is held rigidly in place by steel butt plate. All handles are hand-shaped and polished.

Sheaths are custom-made of extra-heavy top grain leather embossed with Steer's Head for that added touch. All exposed leather is finished. Concealed belt loop is extra large. Sheath is so designed that it will always hang straight when worn.

THE "Game Getter" LINE

MARBLE ARMS CORPORATION • GLADSTONE, MICHIGAN, U.S.A.

"Game Getter"® COMPASSES

The Game Getter Line — Leader in Sales and in the Field since 1897

MARBLE'S

BUBBLE PACKED FOR GREATER EYE APPEAL

Revolving Dial Pin-on Compass

Waterproof screw case of polished, rust resistant brass, treated for corrosion-resistance. Agate jewel bearing, unbreakable crystal. Fastens securely to coat or sleeve. Luminous or plain revolving dial.

No. 082 ..... 12 each **1¾ lbs.**
No. 082L (Luminous) ..... 12 each **1¾ lbs.**

Marble's Compasses are better because they're made with exacting care to uphold the world-wide Marble reputation for reliability and fine workmanship. The owner of a Marble Compass can be sure that he has the most trustworthy instrument of its kind.

Revolving Dial Bow Compass

Polished brass screw-case is waterproof, treated for corrosion - resistance. Agate jewel bearing, unbreakable crystal. Luminous dial. Can be taped to bow for permanent use.

No. 183 ..... 12 each **1¾ lbs.**

Waterproof Matchbox

Keeps matches dry. Made of unbreakable seamless drawn brass, heavily nickel plated. Surface is scored for striking. Matches will strike even if outside case is wet. Handy ring for easy fastening to chain or belt.

No. 181, 12 each **1¾ lbs.**



Stationary Dial Compass

Waterproof screw case of polished brass, rust resistant, Agate jewel bearing, unbreakable crystal. Fastens securely to coat. Dial is stationary.

No. 182 Pin-On ....12 each **1¾ lbs.**
No. 184 Pocket ....12 each **1¾ lbs.**

Revolving Dial Pocket Compass

Polished brass screw case is rust resistant, waterproof, treated for corrosion - resistance. Agate jewel bearing, unbreakable crystal. Has handy ring for attaching, with thong, to clothing, equipment, etc. Available in luminous or plain revolving dial.

No. 186 ..... 12 each **1¾ lbs.**
No. 186L (Luminous)
12 each ..... **1¾ lbs.**

Wrist Compasses

Waterproof case is polished, rust resistant brass, treated for corrosion - resistance. Unbreakable domed crystal. Agate jewel bearing. High grade leather wrist strap. Available in luminous or plain revolving dial.

No. 187 ..... 12 each **1¾ lbs.**
No. 187L (Luminous)
12 each ..... **1¾ lbs.**

MARBLE'S

"Game Getter" SCOPES

6 POWER

Draw a bead faster with . . . MARBLE'S NEW "Game Getter"® SCOPE

Available with regular crosshair or with Marble's new "right-side-up" sighting element puts the post in the upper half. Leaves open field of vision in bottom as you "draw down" on the target. Better, too, for recoil shots. Recoil throws gun up, no obstruction of vision as it is again brought to bear.

4 POWER

2½ POWER

ALL-ALUMINUM SCOPES

The Game Getter scope is at least 25% lighter weight than any other scope. A Game Getter Equipped rifle is lighter to carry, easier to handle, allows you to aim and shoot faster! Marble's scopes are carefree, too — resist all weather conditions and are guaranteed never to corrode or fog.

10-LENS OPTICAL SYSTEM — ADJUSTABLE EYE PIECE

Hardened, coated lenses mounted in nitrogen filled, fully extruded light weight aluminum alloy tube. No joints for leakage. Beautiful, anodized midnight black finish. Eyepiece adjusts to individual vision.

SCOPES ADJUSTED PARALLAX — FREE AT FACTORY

Game Getter scopes are adjusted and sealed at the factory for no parallax at 100 yards (average shooting range) so that image is constant, reticle (crosshairs) remains centered.

CATALOG NO.	RETICLE	POWER	FIELD OF VIEW	TUBE DIA.	EYE PIECE DIA.	EXIT PUPIL DIA.	EYE RELIEF	LENGTH	WEIGHT	ADJ. AT 100 YDS.
No. 250x	⊕	2 1/2x	46'	1"	1 3/8"	11MM	3" to 4"	10 3/4"	6 oz.	5/8" per click
No. 400x No. 401x	⊕ ⊖	4x	30'	1"	1 3/8"	7.1MM	3" to 4"	12 1/2"	7 oz.	1/2" per click
No. 600x No. 601x	⊕ ⊖	6x	20'	1"	1 3/8"	6MM	3" to 4"	14 1/2"	9 oz.	1/4" per click
No. 390x No. 391x	⊕ ⊖	3x to 9x	35' to 13'	1"	1 3/8"	*	3" to 4"	13 1/4"	11 oz.	1/2" per click

* 3x - 10.4MM; 4x - 8.8MM; 5x - 7.0MM; 6x - 5.9MM; 7x - 5.0MM; 8x - 4.3MM; 9x - 3.9MM

THE "Game Getter" LINE

MARBLE ARMS CORPORATION • GLADSTONE, MICHIGAN, U.S

"Game Getter"® VARIABLE SCOPE

MARBLE'S



Available With

MARBLE'S RIGHT-SIDE-UP RETICLE

or with CROSS-HAIR

- CONSTANT RETICLE
- LIGHT WEIGHT
- EASILY ADJUSTED



Here is Marble's right-side-up reticle in the new "Game Getter"® variable scope with adjustable 3 to 9 power magnification. Light weight, easily adjusted, constant reticle at all powers. Wide field of view in all kinds of light, clarity of lens and sharpness of image excelled by no other scope. Guaranteed never to corrode or fog. Beautiful midnight black anodized finish.

MARBLE'S

"Game Getter" SPORTING REAR SIGHTS

MARBLE'S Sporting Rear Gun Sights are the standard of the industry for discriminating shooters. Here is absolute dependability under all light, weather and cover conditions. Know the gun will be ready when the shot is there — equip it with a Marble "Game Getter" Rear Sight.



Sporting Rear

This sight is available in Full Buckhorn, Semi-Buckhorn or Flat Top for every rifle manufactured. Will fill the need of every hunter. Reversible notch piece gives choice of "□" or "V" shaped notch. Can be adjusted for height.

Shipped 12 to a carton ..... 9 oz.

Economy .22 cal. Sporting Rear

Made especially for .22 caliber rifle owners desiring a less expensive, but nevertheless, precision sight. Has Semi-Buckhorn upright with stationary "U" notch with a white triangle underneath. Single step elevator for elevation adjustment.

No. 80 Packed 12 to a carton ..... 9 oz.

SPORTING REAR SIGHTS

No's. 63-63H-63M-66 and 66H
No. 66R
Flat Top
Upright is of Flat Top design for full visibility.

No's. 64-64H-64M-67 and 67H
No. 67R
Semi-Buckhorn
Available for hunters requiring less side visibility.

No's. 65 — 68
No. 68R
Full Buckhorn
For shooters preferring a more closed in field of sight.

REAR SIGHT SPECIFICATIONS

Long Blade Sights



No's 66-66H Flat Top Sight
No's 67-67H Semi Buckhorn Sight
No. 68 Full Buckhorn Sight

No. 66R Flat Top Sight
No. 67R Semi Buckhorn Sight
No. 68R Full Buckhorn Sight

Short Blade Sights

No. 63-63H Flat Top Sight
No. 64-64H Semi Buckhorn Sight
No. 65 Full Buckhorn Sight

No. 63M Flat Top Sight
No. 64M Semi Buckhorn Sight
No. 65 Full Buckhorn Sight

The Sporting Rear Sight is composed of three basic pieces . . . The notch piece, the elevator and the upright and base. (This does not include the economy .22 cal. Sporting Rear). The notch piece and elevator are standard, the base specifications changing according to the type of rifles being fitted. The three different styles available affect only the uprights.



1.

Upright and Bases

The Base of this sight is available to fit every type of rifle manufactured, whether it be of dovetail or screw-attached design. The type of Base depends solely on the rifle to be fitted. The Upright is available in three different types to accommodate the likes or dislikes of every hunter.

2.

Notch Piece

Reversible notch piece gives choice of "□" or "V" shaped notch. White enamel vertical line. Held in place by a screw. Can be adjusted for height.

3.

Double-Step Elevator

Elevator controls adjustment in height. Double-step design assures sturdiness of base. Elevator has screw driver tip for notch piece adjustment.

See Pages 18, 19 and 20 for Sight Selection Chart

"Game Getter"® FOLDING LEAF SIGHTS

MARBLE'S

New Windage Sight



NEW Flat Top Folding Leaf Sight

(With Elevation and Windage Adjustment)

For full visibility on both sides. This most popular middle sight is NOW equipped with an adjustment for Windage. Allows centering of sight on barrel and compensation is accomplished with screw driver instead of brass block and hammer. Easier "sighting in" and no off-center sight to mar the lines of your rifle.

No's. 69W and 69WH ..... **8 oz.**

(Use with false bases No. 72 and 73)

Upright can be folded down when not in use, or for use with scopes or peep sights. Strong spring in base holds leaf firmly in upright or folded position. Has reversible notch piece with white enamel vertical line, giving choice of "⊔" or **"V"** shaped notch. Notch piece can be adjusted for elevation with the aid of a set screw. Packed 12 to a carton.

Flat Top Folding Leaf Sight

No. 69 and 69H (has elevation adjustment) ..... **8 oz.**

(Use with false bases No. 72 and 73)

Semi-Buckhorn Folding Leaf Sight

For shooters desiring less side visibility.

No's. 70 and 70H ..... **8 oz.**

(Use with false bases 72 and 73)

MARBLE'S "Game Getter"® SLOT BLANKS AND RAMPS

Marble's Contour Ramps

No. 14R—Packed 12 to a carton ..... **1 lb. 9 oz.**

For late model Remington 725, 740, 760, 742, etc. Distance between mounting screws 9/16". Two standard 6-48 screws furnished.

Front Sight Ramp Base

SWEAT ON MODELS . . . SCREW ON MODELS

Five heights 3/16", 5/16", 3/8", 7/16", 9/16" Standard 3/8" by .090 dovetail slot. Two 6-48 screws furnished.

No. 71—Ramp—Packed 12 to a carton ..... **1½ lbs.**

No. 71A—Hood—Packed 12 to a carton ..... **6 oz.**

False Bases

No. 72—Packed 12 to a carton ..... **6 oz.**

For Remington Models 8 and 81. Distance between mounting screws 5/8". Two standard 6-40 screws furnished. 3/16" high, 9/16" wide.

No. 73—Packed 12 to a carton ..... **6 oz.**

For Standard and Military Rifles. Distance between mounting screws 5/8". Two standard 6-48 screws furnished. Can be furnished in sweat-on models. 1/4" high, 1/2" wide.

87A



87-87S

87R

Slot Blanks

Packed 12 to a carton ..... **6 oz.**

No. 87—For standard slots.

No. 87S—For Stevens and Savage rifles with 9/32".

No. 87A—For Remington No's. 8 and 81 Autoloaders made with two screw holes.

No. 87R—For standard slots in Winchester, Savage, Marlin, Stevens and Remington rifles.

See Page 18, 19 and 20 for Sight Selection Chart

MARBLE'S

"Game Getter"® FRONT SIGHTS

SHEARD, CONTOURED, STANDARD AND BLADE STYLE FRONT SIGHTS

Precision manufactured, these sights are available for rifles taking Standard Dovetail and Ramp Type Bases depending on the type of rifle on which they are fitted. Beads are designed to be non-reflective to light disturbances and come in White Ivory, Red Ivory, and Pope's Island Gold. Thoroughly efficient and highly accurate under all varying light conditions.

Standard Front Sight

Dovetail or Blade Style Base. 1/16" Bead size. Bead comes in White Ivory, Red Ivory and Pope's Island Gold.
Packed 12 to a carton 1/4 lb.

Marble-Sheard Front Sight

Dovetail or Ramp Style Base. 1/16" Bead size in Gold only.
Packed 12 to a carton.....¼ lb.

Standard Blade Front Sight

1/16" Bead size. Bead comes in White Ivory, Red Ivory and Pope's Island Gold.
Packed 12 to a carton.....¼ lb.

NEW* Contoured Front Sight

Standard Dovetail Base. 1/16" and 3/32" Bead sizes. Bead comes in White Ivory, Red Ivory and Pope's Island Gold.
Packed 12 to a carton.....¼ lb.
*Has same contour as Sheard sight but less expensive due to Standard bead.

Contour Ramp Front Sight

Ramp Style Base only. 1/16" and 3/32" Bead sizes. Bead comes in White Ivory, Red Ivory and Pope's Island Gold. Available in .250 and .340 widths to fit all Ramps.
Packed 12 to a carton.....¼ lb.

See Pages 16 and 17 for Sight Specifications

"Game Getter"® SHOT GUN SIGHTS

MARBLE'S

Bi-Color Front — Ivory body, gold cap, steel base. Construction eliminates danger of breakage. Can be seen in any light. Easily attached by use of reamer.

Ivory Front — Its whiteness and large size make it more easily seen than the ordinary sights. Greatly increases accuracy in shooting. Can be easily attached by use of reamer. Available in red if desired.

Ivory Rear — This sight should be placed at about the center of the barrels or from 12 to 16 inches from the muzzle sight, according to length of gun and shooter's eyesight — never more than 18 inches.

Packed 12 to a carton..... **2 oz.**

FOR DOUBLE BARREL SHOTGUNS

Bi-Color Front No. 221 | Ivory Front No. 214 | Ivory Rear No. 223

No. 224 & 226

No. 214
Ivory Front. 11/64" Dia.

No. 215
Ivory Front. 11/64" Dia. Ivory Rear .080" Dia. (with reamers).

No. 220
Bi-Color Front, Gold and Ivory. 11/64" Dia. Ivory Rear .080" Dia. (with ramps).

No. 221
Bi-Color Front, Gold and Ivory. 11/64" Dia.

No. 223
Ivory Rear .080" Dia.

No. 223T
Ivory Rear .080" Dia.; with threads 1/8"-40AS.

No. 224
Front Sight Reamers for 214-221 Fronts.

No. 226
Rear Sight Reamer for No. 223 Rear.

No. 228
Taps for No. 223T Ivory Rear, 1/8"-40AS Tap.

FOR SINGLE BARREL SHOTGUNS

Bi-Color Front No. 218 | Ivory Front No. 217

Tap and Wrench No. 216-9

Packed 12 to a carton

No. 216
Ivory Front with threads No. 6-40-NF, 11/64" Dia. (with tap and wrench).

No. 216-9
Tap and Wrench for No. 217-218 No. 6-40NF Tap.

No. 217
Ivory Front. 11/64" Dia. with Threads No. 6-40NF.

No. 218
Bi-Color Front, Gold and Ivory. 11/64" Dia.; with Threads No. 6-40NF.

No. 219
Bi-Color Front, Gold and Ivory. 11/64" Dia.; with Threads No. 6-40NF (with tap and wrench).

Bradley Type SIGHTS

No. 223BT

Gold
3 x 56 Short Shank ....1/8" long
3 x 56 Long Shank ....5/16" long
6 x 48 Short Shank ....5/64" long
6 x 48 Long Shank ...11/64" long

Ivory
3 x 56 Short Shank .....1/8" long
3 x 56 Long Shank ....5/16" long
6 x 48 Short Shank ....5/64" long
6 x 48 Long Shank ...11/64" long

Red
3 x 56 Short Shank ....1/8" long
3 x 56 Long Shank ....5/16" long
6 x 48 Short Shank ...5/64" long
x 48 Long Shank ...11/64" long

acked 12 to a carton..... **2 oz.**



Includes 15 most popular Marble Front and Rear rifle and shotgun sights. Complete in bright, colorful, attention-getting display carton. Sure to increase your sight sales.

Sight Assortment "C"

Consisting of 19 Rifle and Shotgun Sights as follows:

1 each No. 31W, 37W, 45W, 34W, 37M, 31N 1/16" Ivory Standard Front Sights.
1 each No. 69H and 70H Sporting Leaf Sights.
1 each No. 69 and 70 Sporting Leaf Sights.
1 each No. 63, 64, 66, and 67 Sporting Rear Sights.
1 only No. 80 Sporting Rear Sight.
1 only 214 Ivory Front Shotgun Sight.
1 only 223 Ivory Rear Shotgun Sight.
1 only 217 Ivory Front, 11/64" Dia.
1 only 218 Bi-Color Front, 5/32" Dia.

Each ..... **8 oz.**

MARBLE'S

"Game Getter"® FRONT SIGHT SPECIFICATIONS

SHEARD

CONTOUR

STANDARD

Dovetailed Base Style

MARBLE-SHEARD AND CONTOUR						MARBLE STANDARD					
No.	H	W	L	S	D	No.	H	W	L	S	D
26-N	.260	11-32	5-8	3-8	.090	26-N	.260	11-32	13-32	3-8	.090
26-M	.260	7-16	5-8	3-8	.090	26-M	.260	7-16	5-8	3-8	.090
29-N	.290	11-32	5-8	3-8	.090	29-N	.290	11-32	13-32	3-8	.090
29-M	.290	7-16	5-8	3-8	.090	29-M	.290	7-16	5-8	3-8	.090
31-N	.312	11-32	5-8	3-8	.090	31-N	.312	11-32	13-32	3-8	.090
31-M	.312	7-16	5-8	3-8	.090	31-M	.312	7-16	13-32	3-8	.090
31-W	.312	17-32	5-8	3-8	.090	31-W	.312	17-32	13-32	3-8	.090
34-N	.343	11-32	5-8	3-8	.090	34-N	.343	11-32	13-32	3-8	.090
34-M	.343	7-16	5-8	3-8	.090	34-M	.343	7-16	5-8	3-8	.090
34-W	.343	17-32	5-8	3-8	.090	34-W	.343	17-32	13-32	3-8	.090
37-N	.375	11-32	5-8	3-8	.090	37-N	.375	11-32	13-32	3-8	.090
37-M	.375	7-16	5-8	3-8	.090	37-M	.375	7-16	13-32	3-8	.090
37-W	.375	17-32	5-8	3-8	.090	37-W	.375	17-32	13-32	3-8	.090
41-N	.410	11-32	5-8	3-8	.090	41-N	.410	11-32	13-32	3-8	.090
41-M	.410	7-16	5-8	3-8	.090	41-M	.410	7-16	13-32	3-8	.090
41-W	.410	17-32	5-8	3-8	.090	41-W	.410	17-32	5-8	3-8	.090
45-N	.450	11-32	5-8	3-8	.090	45-N	.450	11-32	13-32	3-8	.090
45-M	.450	7-16	5-8	3-8	.090	45-M	.450	7-16	5-8	3-8	.090
45-W	.450	17-32	5-8	3-8	.090	45-W	.450	17-32	13-32	3-8	.090
50-N	.500	11-32	5-8	3-8	.090	50-N	.500	11-32	5-8	3-8	.090
50-M	.500	7-16	5-8	3-8	.090	50-M	.500	7-16	13-32	3-8	.090
50-W	.500	17-32	5-8	3-8	.090	50-W	.500	17-32	13-32	3-8	.090
53-N	.538	11-32	5-8	3-8	.090	53-N	.538	11-32	5-8	3-8	.090
53-M	.538	7-16	5-8	3-8	.090	53-M	.538	7-16	5-8	3-8	.090
53-W	.538	17-32	5-8	3-8	.090	53-W	.538	17-32	13-32	3-8	.090
57-W	.570	17-32	5-8	3-8	.090	57-W	.570	17-32	13-32	3-8	.090
47	.538	9-16	5-8	3-8	.105	47	.538	9-16	13-32	3-8	.105
27	.265	5-16	13-32	13-64	.061	27	.265	5-16	13-32	13-64	.061
						54	.280	3-8	27-64	.225	.100
						43	.434	17-32	5-8	.421	.125



To enable our dealers to give accurate service to their customers, we are showing various dimensions of the Marble Standard and Marble Sheard Front Sights. Using the list below in connection with the Sight Lists and Chart, you will be able to select, when necessary, a sight a little higher, lower, or of different dimensions than the one on the g

Blade Style

MARBLE STANDARD

No.	H	W	L	P
11	.406	.050	.800	.059
894	.453	.063	.345	.067
11A3	.530	.060	.813	.059
48R	.480	.095	.718	.063

1/16" Bead in Gold and Red only.

FRONT SIGHT ELEVATION CORRECTION CHART
for Iron Sights

Distance Between Front & Rear Sights		14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"
AMOUNT OF ADJUSTMENT NECESSARY TO CORRECT ERROR																						
Amount of Error at 100 Yards Given in Inches	1"	.0038	.0041	.0044	.0047	.0050	.0053	.0055	.0058	.0061	.0064	.0066	.0069	.0072	.0074	.0077	.0080	.0082	.0085	.0088	.0091	.0093
	2"	.0078	.0083	.0089	.0094	.0100	.0105	.0111	.0116	.0122	.0127	.0133	.0138	.0144	.0149	.0155	.0160	.0156	.0171	.0177	.0182	.0188
	3"	.0117	.0125	.0133	.0142	.0150	.0159	.0167	.0175	.0184	.0192	.0201	.0209	.0217	.0226	.0234	.0243	.0251	.0259	.0268	.0276	.0285
	4"	.0155	.0167	.0178	.0189	.0200	.0211	.0222	.0234	.0244	.0255	.0266	.0278	.0289	.0300	.0311	.0322	.0333	.0344	.0355	.0366	.0377
	5"	.0194	.0208	.0222	.0236	.0250	.0264	.0278	.0292	.0306	.0319	.0333	.0347	.0361	.0375	.0389	.0403	.0417	.0431	.0445	.0458	.0472
	6"	.0233	.0250	.0267	.0283	.0300	.0317	.0333	.0350	.0367	.0384	.0400	.0417	.0434	.0450	.0467	.0484	.0500	.0517	.0534	.0551	.0567



How To Use Above Table — Suppose a rifle, having a sighting radius of 24 inches between front sight and receiver sight, shoots 6 inches high at 100 yards even with the rear sight adjusted as low as possible. Remove front sight and measure *overall* height, preferably with a micrometer. This might be .410 inches, such as a Marble No. 41N. Reference to columns for 24 inches and 6 inches on above chart will show a necessary correction of .0400 inches. This would mean a new higher front sight, with an overall height of .410 plus .040 for a corrected height of .450 inches, such as a Marble No. 45N, should be installed.

When sighting in, shooting should be done with a bench rest or prone with a sand bag or other rest for the rifle. Do not put rifle barrel or forearm directly on solid surface, but put the back of your hand or wrist on the rest and hold the forearm of the rifle securely in your hand with approximately the same tightness of grip you would use when shooting at running game. If the forearm or barrel is rested directly on the sand bag or rest, the rifle will shoot higher than when held firmly while shooting at game as more "muzzle flip" will occur.

AMP STYLE FRONT SIGHT SPECIFICATIONS



FRONT SIGHT SPECIFICATIONS

To enable our dealers to give accurate service to their customers, we are showing various dimensions of Marble's Sheard, Contour, and Standard front ramp sights. Using the list below, you will be able to select, when necessary a sight a little higher, lower, or of different dimensions than the one on the gun.

CONTOUR



STANDARD

ARBLE-SHEARD AND CONTOUR



No.	H	W	L	S	D
26-NR	.260	.250	5-8	3-8	.090
26-MR	.260	.340	5-8	3-8	.090
29-NR	.290	.250	5-8	3-8	.090
29-MR	.290	.340	5-8	3-8	.090
31-NR	.312	.250	5-8	3-8	.090
31-MR	.312	.340	5-8	3-8	.090
34-NR	.343	.250	5-8	3-8	.090
34-MR	.343	.340	5-8	3-8	.090
37-NR	.375	.250	5-8	3-8	.090
37-MR	.375	.340	5-8	3-8	.090
41-NR	.410	.250	5-8	3-8	.090
41-MR	.410	.340	5-8	3-8	.090
45-NR	.450	.250	5-8	3-8	.090
45-MR	.450	.340	5-8	3-8	.090
50-NR	.500	.250	5-8	3-8	.090
50-MR	.500	.340	5-8	3-8	.090
53-NR	.538	.250	5-8	3-8	.090
53-MR	.538	.340	5-8	3-8	.090

'ANDARD FRONT



No.	H	W	L	S	D
26-NR	.260	.250	13-32	3-8	.090
26-MR	.260	.340	5-8	3-8	.090
29-NR	.290	.250	13-32	3-8	.090
29-MR	.290	.340	5-8	3-8	.090
31-NR	.312	.250	13-32	3-8	.090
31-MR	.312	.340	13-32	3-8	.090
34-NR	.343	.250	13-32	3-8	.090
34-MR	.343	.340	5-8	3-8	.090
37-NR	.375	.250	13-32	3-8	.090
37-MR	.375	.340	13-32	3-8	.090
41-NR	.410	.250	13-32	3-8	.090
41-MR	.410	.340	13-32	3-8	.090
45-NR	.450	.250	13-32	3-8	.090
45-MR	.450	.340	5-8	3-8	.090
50-NR	.500	.250	5-8	3-8	.090
50-MR	.500	.340	13-32	3-8	.090
53-NR	.538	.250	5-8	3-8	.090
53-MR	.538	.340	5-8	3-8	.090

TO ORDER—Specify—1. By Model Number. 2. Type of Ramp Sight desired (Sheard, Standard or Contoured) 3. Bead Size (1/16" Sheard and Contour—1/16" or 3/32" Standard). 4. Color of Bead (Sheard Sight—Gold; Standard and Contour Sight—Ivory, Red Ivory, or Gold).

MARBLE'S

SIGHT SELECTION CHART

	SPORTING REAR			SPORTING LEAF		SHEARD, STANDARD and CONTOURED FRONT SIGHTS		
	FLAT TOP	SEMI-BUCK	FULL BUCK	FLAT TOP	SEMI-BUCK	MOD. NO.	HEIGHT	WIDTH
WINCHESTER RIFLES								
1886 Rep. .33 W.C.F.	66	67	68	69	70	31W	.312	17/32
1890 Rep. .22 W.R.F.	63	64 or 80	65	69	70	37M	.375	7/16
1892 Rep. .25-20, .32-20, .38-40, .44-40	66	67	68	69	70	31W	.312	17/32
1892 Carb. .25-20, .32-20, .38-.40 .44-40	63	64	65	69	70	•	.375	.063
92 Carb. with ramp	63	64	65	69	70	26N	.260	11/32
1894 Rep. .32-40, .38-55	66	67	68	69	70	31W	.312	17/32
1894 Rep. .25-35, .30-30, .32 Spec.	66	67	68	69	70	45W	.450	17/32
1894 with ramp .25-35, .30-30, .32 Spec.	66	67	68	69	70	31N	.312	11/32
1894 Carb. .32-40, .38-55	63	64	65	69	70	•	.265	.063
1894 Carb. .25-35, .30-30, .32 Spec.	63	64	65	69	70	894	.450	.063
94 Carb. with ramp	63	64	65	69	70	26N	.260	11/32
1895 Rep. .30 Gov't. '03 '06	66	67	68	69	70	45W	.450	17/32
1895 Rep. .30 (.30-40), .303 British	66	67	68	69	70	•	.343	.063
1895 Rep. .35 W.C.F.	66	67	68	69	70	34W	.343	17/32
1895 Carb. .30-06 with .220 Gr. Bullets	•	•	•	•	•	•	.343	.063
1902 .22 Cal.	63	64 or 80	65	69	70	31W	.312	17/32
1903 Auto. .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
1904 Single Shot .22 Cal.	63	64 or 80	65	69	70	31W	.312	17/32
1905 Self-Loader, .32-35 Cal.	66	67	68	69	70	31W	.312	17/32
1906 Rep. .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
1907 Self-Loader .351 Cal.	66	67	68	69	70	31W	.312	17/16
1910 Self-Loader .401 Cal.	66	67	68	69	70	31W	.312	17/16
Mod. 43 All Calibers	66	67	68	69	70	26N	.260	11/32
Mod. 47 .22 Cal. Single Shot	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 52 Sporter	•	•	•	•	•	37N	.375	11/32
Mod. 53 Rep. .25-20, .32, .44	66	67	68	69	70	31W	.312	17/16
Mod. 54 Bolt Action 30 Gov't. '06	66	67	68	69	70	•	.360	.063
Mod. 54 Bolt Action .270 W.C.F	66	67	68	69	70	•	.406	.063
Mod. 54 Bolt Action with Ramp	66	67	68	69	70	31N	.312	17/32
Mod. 55 Repeater .25-35, .30-30, .32 WS	66	67	68	69	70	31W	.312	17/32
Mod. 56 Bolt Action .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 57 Bolt Action .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 61 Pump Action .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 62 Rep. Rifle .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 59 Single Shot .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 60 Single Shot .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 63 .22 L. R. Auto.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 64 .25-35, .30-30, .32 Spec.	66	67	68	69	70	31N	.312	11/32
Mod. 65 .25-20, .32	66	67	68	69	70	31N	.312	11/32
Mod. 67 Single Shot .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 68 .22 Cal.	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 69 .22 Cal.	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 70 All Cal.	66	67	68	69	70	31N	.312	11/32
Mod. 71 .348 Cal.	66	67	68	69	70	31N	.312	11/32
Mod. 72 .22 Cal. B A Rep.	63	64 or 80	65	•	•	34W	.343	17/32
Mod. 74 .22 Cal. B A Automatic	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 75 .22 Cal. Sporter	63	64 or 80	65	•	•	31N	.312	11/32
Mod. 77 .22 Cal. S. L. Rifle	63	64 or 80	65	69	70	41M	.410	11/32
Mod. 88 .308 Cal. L. A. Rifle	66	67	68	69	70	31N	.312	11/32
Mod. 100	63H	64H or 80	65	69H	70H	26MR	.260	.340
MARLIN RIFLES								
1888 Rep. Rifles All Cal.	66	67	68	69	70	31W	.312	17/32
1889 Rep. Rifles .25-20, .32-20, .38-40, .44-40	66	67	68	69	70	31W	.312	17/32
1892 Rep. Rifles .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
1892 Rep. Rifles .32 Cal.	66	67	68	69	70	31W	.312	17/32
1894 Rep. Rifles .25-20, .32-20, .38-40, .44-40	66	67	68	69	70	31W	.312	17/32
1897 Rep. Rifles .22 Cal.	63	64 or 80	65	69	70	34W	.343	17/32
Mod. 39, 39A Rep. Rifles	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 39A with ramp	63	64 or 80	65	69	70	26N	.260	11/32
Mod. 56 .22 Cal. L. A.	63	64	65	69	70	26N	.260	11/32
Mod. 93, .25-36, .32 Spec. .30-30, .32-40HPS	66	67	68	69	70	45W	.450	17/32
Mod. 93, 38-55HPS	66	67	68	69	70	41M	.410	7/16
Mod. 93 Carb. .25-36, .30-30, .32 Spec.	66	67	68	69	70	•	•	•
Mod. 93 Carb. .25-36, .30-30, .32 Spec. with dovetail slot	66	67	68	69	70	45W	.450	17/32
Mod. 36 —336 rifle and carbines	66	67	68	69H	70H	45W	.450	17/32
Mod. 336 SC .35 Cal.	66	67	68	69H	70H	37M	.375	7/16
Mod. 80 .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 81 .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 88 .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 89 .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 89C .22 Cal.	63	64 or 80	65	69	70	26N	.260	11/32
Mod. 98 .22 Cal. Auto-Loader	63	64	65	69	70	•	•	•
Mod. 100 .22 Cal. B. A.	63	64	65	69	70	34W	.343	17/32
Mod. 455 .270, .30-'06, .308 B. A.	•	•	•	•	•	37N	.375	11/32
Mod. 56	63H	64H	•	69H	70H	29MR	.260	.34
Mod. 57	63H	64H	•	69H	70H	29MR	.260	.34

SIGHT SELECTION CHART

MARBLE'S

	SPORTING REAR			SPORTING LEAF		SHEARD, STANDARD and CONTOURED FRONT SIGHTS		
	FLAT TOP	SEMI-BUCK	FULL BUCK	FLAT TOP	SEMI-BUCK	MOD. NO.	HEIGHT	WIDTH
REMINGTON RIFLES								
Mod. 8 Auto-Ldg. .25, .30, .32 & .35 Cal,	66R	67R	68R	69R	70R	34W	.343	17/32
Mod. 81 Woodmaster .30, .32 & .35 Cal.	66R	67R	68R	69R	70R	34W	.343	17/32
Mod. 12 Rep. Rifle .22 Cal.	63	64 or 80	65	69	70	31W	.312	17/32
Mod. 121 Fieldmaster .22 Cal.	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 121 Fieldmaster (1936 Series) .22 Cal.	63M	64M	*	*	*	37M	.375	3/17
Mod. 14 Rep. Rifle .25, .30, .32, .35, .38, .44-40	66	67	68	69	70	37M	.375	7/16
Mod. 141 Gamemaster .30, .32, .35	66H	64 or 80	65	69	70	31M	.312	7/16
Mod. 24 Auto-Ldg. Rifle .22 L. R.	63	64M	*	*	*	37M	.375	7/16
Mod. 241 Speedmaster .22 Auto-Ldg.	63M	64 or 80	65	69	70	37W	.375	7/16
Mod. 33, 34, 41, .22 Cal. Single Shot	63	64 or 80	65	69	70	31W	.312	17/32
Mod. 341 A Sportsmaster .22 Cal.	63	67H	*	68H	70H	31W	.312	17/32
Mod. 510, 513T	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 511, 512, 550, 552	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 514	63M	64 or 80	65	69	70	37M	.375	7/16
Mod. 521T .22 Cal.	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 572 .22 Cal.	63M	64M	*	69	70	37M	.375	7/16
Mod. 700	63	64	•	69	70	41MR	.410	7/16
Mod. 721, 722 All Cal.	63H	64H	*	69H	70H	34W	.343	17/32
Mod. 760 All Cal.	66	67	68	69H	70H	31N	.312	11/32
Mod. 740	63H	64H	*	69H	70H	37M	.375	7/16
Mod. 740 ADL	63H	64H	*	69H	70H	41N	.410	11/32
Mod. 742	63H	64H or 80	65	69	70	41MR	.410	.340
Mod. 760	66H	67H or 80	68	69	70	41MR	.410	.340
Mod. 725	66	67		69	70H	31M	.312	17/32

† late Model 700, 721, 722, 725, 740, 760, No. 14R Ramp Sight Base is required for use with Marble's Open Rear Sights

SAVAGE RIFLES								
Mod. 1919 .22 Cal. N. R. A.	•	•	•	•	•	53W	.538	17/32
Mod. 23 Sporter B. A. .22, .25-20, .32-20 Cal.	66	67	68	69	70	45W	.450	17/32
Mod. 1923 A.A.	66	67	68	69	70	45W	.450	17/32
Mod. 25 .22 Cal.	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 29 .22 Cal.	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 29 A & C	63	64 or 80	65	69	70	45W	.450	17/32
Mod. 29 B	63	84 or 80	*	69	70	53W	.538	17/32
Mod. 40	•	•	•	•	•	45W	.450	17/32
Mod. 45	•	•	•	•	•	45W	.450	17/32
Mods. 3, 4, 5, 6 & 7								
for rifles with 9/32" slots	•	80S	•	•	•	37M	.375	7/16
for rifles with 3/8" slots	63	64 or 80	65	69	70	37M	.375	7/16
Mod. 340 .30-30 Cal.								
for Gun with Slot in Ramp	63H	64H	*	69H	70H	31N	.312	11/32
Mod. 342 .22 Hornet	63H	64H	*	69H	70H	31N	.312	11/32
Mod. 1899 E. F. G.	66	67	68	69H	70H	•	.281	.063
Mod. 99R .250 and .300 Cal.	66	67	68	69H	70H	41N	.410	11/32
Types A, B, C, D & H. Serial No. below 297,000 in Cal. .22HP, .25-35, .30-30, .303-300	•	•	•	69H	70H	45W	.450	17/32
For featherweight								
99T .30-30 & .303 Cal.	63	64	65	69H	70H	37N	.375	11/32
99F. G & EG .22 Cal. HP; 99RS .250	63	64	65	69H	70H	34W	.343	17/32
99F, G & K .30-30 & .303; Carbines .250, .30-30, .303	66	67	68	69H	70H	37M	.375	7/16
99T .22HP, .250, .300; 99A, E, F, G, EG, K & R .250, 99G, K, RS .300	66	67	68	69H	70H	45W	.450	17/32
Mod. 110MC-MCL	66H	67H	*	69H	70H	34N	.343	17/32
Mod. 99DL .300 Sav.	66	67 or 80	68	69H	70H	26MR	.260	.340
Mod. 99E .243, .300 Sav. and .308	66	67 or 80	68	69H	70H	29MR	.260	.340
STEVENS RIFLES								
Mod. 17 & 27 Favorite Single Shot	•	80S	•	•	•	8	.375	5/8
Mod. 53, 56, 57, 65, 66, 76, 83, 84, 85, 86,	•	•	•	•	•	•	•	•
Mod. for rifles with 9/32" slots	•	80S	•	•	•	37W	.375	17/32
Mod. for late models with 3/8" slots	63	64	65	69	70	37W	.375	17/32
Mod. 154 .22 Cal. B. A.						45W	.450	17/32
Mod. 322 .22 Hornet	NO OPEN REAR SIGHT AVAILABLE					31N	.312	11/32
Mod. 325 Bolt Action						34W	.343	17/32
Mod. 87	66H	67H	68	69H	70H	37W	.375	17/32
Mod. 87K	63H	64H	65	69H	70H	37W	.375	17/32
MOSSBERG RIFLES								
Mod. 151K	NO OPEN REAR SIGHT AVAILABLE					45W	.450	17/32
Mossbergs with ramp						31N	.312	11/32
Mod. 144LS	•	•	•	•	•	45W	.450	17/32
Mod. 250K-342K-350K 346, 620K, 640K and 400	•	•	•	•	•	45W	.450	17/32



SIGHT SELECTION CHART

	SPORTING REAR			SPORTING LEAF		SHEARD, STANDARD and CONTOURED FRONT SIGHTS		
	FLAT TOP	SEMI-BUCK	FULL BUCK	FLAT TOP	SEMI-BUCK	MOD. NO.	HEIGHT	WIDTH
J. C. HIGGINS								
Mod. 28, 30, 31	63	64	65	69	70	31N	.312	11/32
Mod. 50, 51	66	67	68	69	70	31N	.312	11/32
Mod. 45	66	67	68	69H	70H	41W	.410	17/32
Mod. 51L	66	67	68	69	70	29NR§	.290	.250
Mod. 50	66	67	68	69H	70H	29N or M	.290	11/32 or 7/16
Mod. 103, 16	66	67	68	69	70	41W	.410	17/32
Mod. 103, 228	66	67	68	69	70	41W	.410	17/32
Mod. 103, 18	•	•	•	69	70	45W	.450	17/32
Mod. 25	•	•	•	69	70	45W	.450	17/32
Mod. 31 and 33	63	64	65	69H	70H	29N	.290	11/32
Mod. 41, 42, 43	63	64	65	69	70	45W	.450	17/32
Mod. 44	63	64	65	69	70	37N	.375	11/32
SPRINGFIELD RIFLES								
Mod. '03 and '06 .30 Cal.	NO OPEN REAR SIGHT AVAILABLE					11	.406	.060
Mod. '03-A3						11A3	.530	.060
MAUSER RIFLES								
Mod. 98	NO OPEN REAR SIGHT AVAILABLE					27	.265	5/16
KRAG RIFLES AND CARBINES								
As Issued	•	•	•	69R	70R	894	.453	.063
Sporters	•	•	•	69R	70R	41NR‡	.410	.250
Mod. 1898 .30 Army or .30-40 Cal. (Special False Base Needed for Installation)	66	67	68	•	•	•	.406	.052
H AND R RIFLES								
Mod. 150, 250, 550, 750, 765, and 865	NO OPEN REAR SIGHT AVAILABLE					37M	.375	7/16
WESTERN FIELD								
.22 Cal. Bolt Action	•	•	•	•	•	37M	.375	7/16
BROWNING								
22 Automatic	63	64	65	69	70	43	.434	17/32
Mod. 30.06	•	•	•	•	•	37NR	.375	.250
HUSQVARNA RIFLES								
Mod. 1622 .22 Cal.	66	67	68	69	70	45W	.450	17/32
Mod. Presentation	66	67	68	69H	70H	37N	.375	11/32
Mod. Crown Grade	66	67	68	69H	70H	37N	.375	11/32
Mod. 456	66H	67H	•	69H	70H	26N	.260	11/32
BSA								
Majestic	63H	64H	•	69H	70H	34MR	.343	.340
NOBLE RIFLES								
Mod. 20	63H	64H	65	69H	70H	50W	.500	17/32
HI-STANDARD RIFLES								
Model. Sport King	63	64	65	69	70	50W	.500	17/32
JEFFERSON RIFLES								
Mod. 158	•	•	•	69R	70R	29NR§	.290	11/32
Mod. 260 and 159	•	•	•	69	70	•	•	•
Mod. 257 and 359	•	•	•	•	•	•	•	•
COLTSMAN RIFLES								
Models FN and Sako	•	•	•	69H	70H	29NR§	.290	11/32
WEATHERBY RIFLES								
Mod. MK IV W1 Sport Barrel	•	•	•	69R	70R	29NR§	.290	.250
WESTERN FIELD RIFLES **WARD-HAWTHORNE RIFLES**								
Mod. 750	•	•	•	69R	70R	29NR§	.290	.250
JAP SPORTERS	•	•	•	69R	70R	26NR†	.260	.250
RUSSIAN SPORTERS	•	•	•	69R	70R	26NR†	.260	.250
MANNLICHER RIFLES								
Mod. 156 or later	•	•	•	69	70	•	•	•
STURM - RUGER RIFLES								
Mod. 44 Mag.	•	•	•	69H	•	45MR	.450	.340

* No sight available. ‡ Used with 5/16" Ramp † Used with 7/16" Ramp. § Used with 9/16" Ramp.

Tang sights available for some models. Write giving name and model of rifle.

GUN CASES

MARBLE'S

Quality Protection For Your Guns



No. 22.....2½ lbs. each



No. 32.....3 lbs. each
No. 321.....3 lbs. each

Marble's *"Game Getter"* quality protection for your guns . . . the kind of protection a good gun deserves. Cases that can be used with pride and complete confidence. Made of the finest materials. Marble's cases all have full length "easy-slide" zippers which extend around the gun stock, anti-shock rubber cup ends to cushion gun muzzle, leather hang strap for convenient storage, and heavy duty handles attached to case with reinforcing hardware. In short . . . Marble's famous Game Getter quality throughout.

No. 22 Canvas Gun Case

Top quality, extra heavy, water resistant canvas. Marsh tan colored with Lint Free moss-green corduroy lining. Molded heavy-duty handle. Holds shape permanently. For shotguns and rifles in lengths of 40", 42", 44", 46", 48", 50" and 52". Will fit most rifles with hunting scopes.

No. 32 Deluxe Gun Case

Rich-looking, rich-feeling top grain cowhide with saddle tan binding. Extra-thick chamois-colored fleece lining. Molded heavy-duty handle with brass hardware. Holds its shape permanently. For shotguns and rifles. Available in lengths of 40", 42", 44", 46", 48", 50" and 52". Will fit most rifles with hunting scopes.

No. 321 Deluxe Gun Case

(Extra Wide)

Has same features as No. 32, above, except is made much wider to accommodate guns with large scopes. Lengths of 42", 44", 46" and 48".

Marble's Pistol Cases



A beautiful hand-gun case of top quality, extra heavy, water resistant canvas. Heavy chamois - colored fleece lining. Lies flat when open. Has compartments for shell and accessories. Full "easy-slide" zipper with locking ring and padlock. Fits all hand guns.

No. 42.....1 each 1 lb.

No. 52 (Same as No. 42, above, except exterior is all top grain cowhide).....1 each 1½ lbs.

MARBLE'S

PORTABLE GENERATOR



A Marble's Quality Unit for

- **camping • emergency home use**
- **construction • disaster shelters**

Make any camp site more enjoyable with bright light handy electric power. Marble's dependable Dyna-lite generator powered by an easy-starting Briggs & Stratton gas engine will give you electricity where you want, when you want it. Ideally suited also for use as an emergency home unit, in disaster shelters, or on construction projects.

GENERATOR: Built-in voltage stabilizer for close voltage regulation. Rectifier excitation for high efficiency and low radio interference. Equipped with a lifting handle. Electrical outlets are underwriters approved 3-wire "U" ground. Two units on each generator.

ENGINE: All aluminum alloy construction with cast cylinder sleeve. Air cooled by a powerful flywheel blower. Patented built-in tension flywheel blower magneto for easier starting. Pneumatic type adjustable governor. Oil wetted "No-Spill" air cleaner. Pulsa-jet carburetor. Impulse starter.



CART OPTIONAL

MODEL: AZ BASE MOUNTED						GENERATOR:			
Height With Engine	Length With Engine	Width With Engine	Net Weight Approx.	Shipping Wt. Approx.	Volts	Amperes	Watts	Frequency	Temp. Rise
14½"	20"	15"	74 lbs.	85 lbs.	115	13	1500	60 Cycles	50° Cent.

ENGINE:

Make & Model	Briggs & Stratton 8
No. of Cylinders & Displacement	1 cylinder, 7.75 cubic inches
Fuel Capacity & Consumption	2 qts., 3½ hrs./gal. @ 3600 rpm full load
Starting Method	Rope start
Ignition & Spark Plug Size	Magneto, 14 mm
Exhaust Valves	Austenitic steel, positive valve rotators
Air Cleaner	Oil wetted, "No-Spill"
Oil Reservoir	1¼ pints
Cooling Method	Air cooled

CONTOUR FRONT SIGHTS





CONTOUR

Offers the precision and elegance of a streamlined sight at a standard sight price

- Standard dovetail or ramp style base.
- Furnished in 1/16" and 3/32" Ivory, Red Ivory or Gold bead.
- Heights from .260" to .570".
- For barrel mounting use N, M or W models.
- For ramp mounting use NR or MR models.
  (See sight specification chart on pages 16 and 17)
- Memo - Now is the time to change your stock

UNCONDITIONALLY GUARANTEED

Marble's Game Getter line of Sports equipment is unconditionally guaranteed against any defect in material or workmanship.

Marble's products are precision-manufactured by skilled craftsmen to standards developed over half a century of dealing with discriminating sportsmen all over the world. They are outstanding in both quality and workmanship. They provide that "something extra" in the form of pride of ownership, as well as outstanding performance in the field. If it's Marble's — you know it's quality and you know the manufacturer will stand behind it.

NOW . . .
New Bubble Packaging

MARBLE'S

QUALITY MERCHANDISE MADE
MORE ATTRACTIVE AND MORE SALABLE
WITH MODERN BUBBLE PACKAGING

Copyright 1963

MARBLE ARMS CORP., GLADSTONE, MICH., U.S.A.

Division
Bell & Gossett Co.

Marble Arms
CORPORATION

GLADSTONE, MICHIGAN - U. S. A.
PHONE GARFIELD 5-2841

Manufacturers of:

GUN CLEANING EQUIPMENT
HUNTING KNIVES • AXES
GUN SIGHTS • COMPASSES
WATERPROOF MATCH BOXES

IF IT'S MARBLES IT'S QUALITY

MARBLE'S
SIGHT COMBINATION CHART

Combines Marble's No. 71 Ramp with Ramp Style, Sheard or Contour Front Sights

Sight Number	Height		Ramp Height		Total Height
26NR	.260	plus	3/16" - .0945	-	.3545
29NR	.290	plus	3/16" - .0945	-	.3845
31NR	.312	plus	3/16" - .0945	-	.4065
34NR	.343	plus	3/16" - .0945	-	.4375
37NR	.375	plus	3/16" - .0945	-	.4695
26NR	.260	plus	5/16" - .2195	-	.4795
41NR	.410	plus	3/16" - .0945	-	.5045
29NR	.290	plus	5/16" - .2195	-	.5095
31NR	.312	plus	5/16" - .2195	-	.5315
26NR	.260	plus	3/8" - .282	-	.542
45NR	.450	plus	3/16" - .0945	-	.5445
34NR	.343	plus	5/16" - .2195	-	.5625
29NR	.290	plus	3/8" - .282	-	.572
31NR	.312	plus	3/8" - .282	-	.594
50NR	.500	plus	3/16" - .0945	-	.5945
37NR	.375	plus	5/16" - .2195	-	.5945
26NR	.260	plus	7/16" - .3445	-	.6045
34NR	.343	plus	3/8" - .282	-	.625
41NR	.410	plus	5/16" - .2195	-	.6295
53NR	.538	plus	3/16" - .0945	-	.6325
29NR	.290	plus	7/16" - .3445	-	.6345
31NR	.312	plus	7/16" - .3445	-	.6565
37NR	.375	plus	3/8" - .282	-	.657
45NR	.450	plus	5/16" - .2195	-	.6695
34NR	.343	plus	7/16" - .3445	-	.6875
41NR	.410	plus	3/8" - .282	-	.692
50NR	.500	plus	5/16" - .2195	-	.7195
37NR	.375	plus	7/16" - .3445	-	.7195
26NR	.260	plus	9/16" - .4695	-	.7295
45NR	.450	plus	3/8" - .282	-	.732
41NR	.410	plus	7/16" - .3445	-	.7545
53NR	.538	plus	5/16" - .2195	-	.7575
29NR	.290	plus	9/16" - .4695	-	.7595
31NR	.312	plus	9/16" - .4695	-	.7815
50NR	.500	plus	3/8" - .282	-	.782
45NR	.450	plus	7/16" - .3445	-	.7945
34NR	.343	plus	9/16" - .4695	-	.8125
53NR	.538	plus	3/8" - .282	-	.820
50NR	.500	plus	7/16" - .3445	-	.8445
37NR	.375	plus	9/16" - .4695	-	.8445
41NR	.410	plus	9/16" - .4695	-	.8795
53NR	.538	plus	7/16" - .3445	-	.8825
45NR	.450	plus	9/16" - .4695	-	.9195
50NR	.500	plus	9/16" - .4695	-	.9695
53NR	.538	plus	9/16" - .4695	-	1.0075